EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	(LIN adj CHIA adj LUNG).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:13
L2	359	(transition$3 or chang$3 or switch$3 or enter$3) near6 (over adj clock$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:32
L3	18	2 same ((predetermin$3 or preset$3 or preprogram$4 or set$4 or preestablish$3 or (pre adj (determin$3 or set$3 or program$4 establish$3))) near6 (period$1 or time$1 or duration$1 or interval$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:25
L4	10	2 with ((predetermin$3 or preset$3 or preprogram$4 or set$4 or preestablish$3 or (pre adj (determin$3 or set$3 or program$4 establish$3))) near6 (period$1 or time$1 or duration$1 or interval$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:38
L5	1	3 same (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:26
L6	1	4 with (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:20
L7	374	(transition$3 or chang$3 or switch$3 or enter$3) near6 ((over adj clock$3) or overclock$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:25
L8	2	7 and Intel.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:24
L9	57	((over adj clock$3) or overclock$3) and Intel.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:47

EAST Search History

L10	17	9 and ((predetermin$3 or preset$3 or preprogram$4 or set$4 or preestablish$3 or (pre adj (determin$3 or set$3 or program$4 establish$3))) near6 (period$1 or time$1 or duration$1 or interval$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:31
L11	7	10 and (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:35
L12	21	((over adj clock$3) or overclock$3) and ((Advanced adj Micro adj Devices) or AMD).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:04
L13	8	12 and ((predetermin$3 or preset$3 or preprogram$4 or set$4 or preestablish$3 or (pre adj (determin$3 or set$3 or program$4 establish$3))) near6 (period$1 or time$1 or duration$1 or interval$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:32
L14	16	9 and (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:28
L15	12	12 and (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:45
L16	10	((over adj clock$3) or overclock$3) and Motorola.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:47
L17	0	overclock$3 and Motorola.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:47
L18	11	overclock$3 and Intel.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 10:48

EAST Search History

L19	5	overclock$3 and ((Advanced adj Micro adj Devices) or AMD).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:10
L20	5	overclock$3 and ATI.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:11
L21	9	(US-20050144498-$).did. or (US-6587800-$ or US-6772356-$ or US-6754840-$ or US-6535988-$ or US-6691242-$ or US-6067606-$ or US-6633993-$ or US-6385735-$). did.	US-PGPUB; USPAT	OR	OFF	2006/08/02 11:12
L22	6	21 and (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:12
L23	324	(adjust$5 or chang$3 or modif$8 or vary$6) near6 (((voltage or clock) near3 (value$1 or parameter$1 or setting$1)) or voltage$1 or clock$1 or (clock$1 near2 (speed or frequenc$3 or rate$1))) same ((over adj clock$3) or overclock$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:30
L24	243	(adjust$5 or chang$3 or modif$8 or vary$6) near6 (((voltage or clock) near3 (value$1 or parameter$1 or setting$1)) or voltage$1 or clock$1 or (clock$1 near2 (speed or frequenc$3 or rate$1))) with ((over adj clock$3) or overclock$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:27
L25	33	23 same (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:30
L26	15	24 with (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:29
L27	1	23 same ((first or second) near3 (timer$1 or counter$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:28

L28	25	(adjust$5 or chang$3 or modif$8 or vary$6) near6 (((voltage or clock) near3 (value$1 or parameter$1 or setting$1)) or voltage$1 or clock$1 or (clock$1 near2 (speed or frequenc$3 or rate$1))) same overclock$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:31
L29	12	(adjust$5 or chang$3 or modif$8 or vary$6) near6 (((voltage or clock) near3 (value$1 or parameter$1 or setting$1)) or voltage$1 or clock$1 or (clock$1 near2 (speed or frequenc$3 or rate$1))) with overclock$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:30
L30	1	28 same (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:31
L31	15	28 and (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:50
L32	8	29 and (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:31
L33	87095	((predetermin$3 or preset$3 or preprogram$4 or set$4 or preestablish$3 or (pre adj (determin$3 or set$3 or program$4 or establish$3))) near6 (period$1 or time$1 or duration$1 or interval$1)) same (restart$3 or (re adj start$3) or reset$4 or (re adj set$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:47
L34	47793	((predetermin$3 or preset$3 or preprogram$4 or set$4 or preestablish$3 or (pre adj (determin$3 or set$3 or program$4 or establish$3))) near6 (period$1 or time$1 or duration$1 or interval$1)) with (restart$3 or (re adj start$3) or reset$4 or (re adj set$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:42
L35	1	33 same overclock$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:45

EAST Search History

L36	17	33 and overclock$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:43
L37	3	34 and overclock$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:44
L38	13	33 same (overclock$3 or (over adj clock$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:46
L39	2	34 with (overclock$3 or (over adj clock$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:46
L40	115	(overclock$3 or (over adj clock$3)) same (restart$3 or (re adj start$3) or reset$4 or (re adj set$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:57
L41	50	(overclock$3 or (over adj clock$3)) with (restart$3 or (re adj start$3) or reset$4 or (re adj set$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:47
L42	13	40 same ((predetermin$3 or preset$3 or preprogram$4 or set$4 or preestablish$3 or (pre adj (determin$3 or set$3 or program$4 or establish$3))) near6 (period$1 or time$1 or duration$1 or interval$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:05
L43	2	41 with ((predetermin$3 or preset$3 or preprogram$4 or set$4 or preestablish$3 or (pre adj (determin$3 or set$3 or program$4 or establish$3))) near6 (period$1 or time$1 or duration$1 or interval$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:49
L44	54	40 same (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:56

L45	16	41 with (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:54
L46	63	40 and ((predetermin$3 or preset$3 or preprogram$4 or set$4 or preestablish$3 or (pre adj (determin$3 or set$3 or program$4 or establish$3))) near6 (period$1 or time$1 or duration$1 or interval$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:56
L47	28	41 and ((predetermin$3 or preset$3 or preprogram$4 or set$4 or preestablish$3 or (pre adj (determin$3 or set$3 or program$4 or establish$3))) near6 (period$1 or time$1 or duration$1 or interval$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:56
L48	58	46 and (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:57
L49	25	47 and (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:12
L50	8	overclock$3 same (restart$3 or (re adj start$3) or reset$4 or (re adj set$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:09
L51	7	overclock$3 with (restart$3 or (re adj start$3) or reset$4 or (re adj set$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:58
L52	7	overclock$3 same tun$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 11:59
L53	5	overclock$3 with tun$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:02

EAST Search History

L54	5	overclock$3 same ((predetermin$3 or preset$3 or preprogram$4 or set$4 or preestablish$3 or (pre adj (determin$3 or set$3 or program$4 or establish$3))) near6 (period$1 or time$1 or duration$1 or interval$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:11
L55	2	overclock$3 with ((predetermin$3 or preset$3 or preprogram$4 or set$4 or preestablish$3 or (pre adj (determin$3 or set$3 or program$4 or establish$3))) near6 (period$1 or time$1 or duration$1 or interval$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:08
L56	115	(overclock$3 or (over adj clock$3)) same (restart$3 or (re adj start$3) or reset$4 or (re adj set$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:10
L57	118	(overclock$3 or (over adj clock$3)) same (restart$3 or (re adj start$3) or reset$4 or (re adj set$4) or reboot$3 or (re adj boot$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:10
L58	51	(overclock$3 or (over adj clock$3)) with (restart$3 or (re adj start$3) or reset$4 or (re adj set$4) or reboot$3 or (re adj boot$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:34
L59	13	57 same ((predetermin$3 or preset$3 or preprogram$4 or set$4 or preestablish$3 or (pre adj (determin$3 or set$3 or program$4 or establish$3))) near6 (period$1 or time$1 or duration$1 or interval$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:12
L60	2	58 with ((predetermin$3 or preset$3 or preprogram$4 or set$4 or preestablish$3 or (pre adj (determin$3 or set$3 or program$4 or establish$3))) near6 (period$1 or time$1 or duration$1 or interval$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:22
L61	66	57 and ((predetermin$3 or preset$3 or preprogram$4 or set$4 or preestablish$3 or (pre adj (determin$3 or set$3 or program$4 or establish$3))) near6 (period$1 or time$1 or duration$1 or interval$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:12
L62	29	58 and ((predetermin$3 or preset$3 or preprogram$4 or set$4 or preestablish$3 or (pre adj (determin$3 or set$3 or program$4 or establish$3))) near6 (period$1 or time$1 or duration$1 or interval$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:12

EAST Search History

L63	58	61 and (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:14
L64	25	62 and (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:13
L65	54	56 same (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:17
L66	54	57 same (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:16
L67	16	58 with (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 12:15
L68	1	(set$4 or adjust$5 or chang$3 or modif$8 or vary$6 or control$4 or manag$5) near6 (overclock$3 near3 (paramater$1 or setting$1 or value$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:15
L69	11	(set$4 or adjust$5 or chang$3 or modif$8 or vary$6 or control$4 or manag$5) same (overclock$3 near3 (paramater$1 or setting$1 or value$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:42
L70	11	(set$4 or adjust$5 or chang$3 or modif$8 or vary$6 or control$4 or manag$5 or tun$3) same (overclock$3 near3 (paramater$1 or setting$1 or value$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:18
L71	5	(set$4 or adjust$5 or chang$3 or modif$8 or vary$6 or control$4 or manag$5 or tun$3) with (overclock$3 near3 (paramater$1 or setting$1 or value$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:21
L72	1	70 same (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:36

L73	6	70 and (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:17
L74	1	71 and (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:17
L75	0	(clock near2 (stabiliz$5 or steady$4)) same overclock$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:23
L76	0	(clock near2 (stabiliz$5 or steady$4)) and overclock$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:26
L77	0	((transient or brief or temporary or momentary or transitory) near3 (period$1 or duration$1 or time$1 or interval$1)) near6 overclock$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:26
L78	0	((transient or brief or temporary or momentary or transitory) near3 (period$1 or duration$1 or time$1 or interval$1)) same overclock$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:26
L79	0	((transient or brief or temporary or momentary or transitory) near3 (period$1 or duration$1 or time$1 or interval$1)) and overclock$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:26
L80	0	(stabiliz$5 or steady$4) near6 ((after or following or subsequent$2) near2 overclock$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:29
L81	0	(stabiliz$5 or steady$4) same ((after or following or subsequent$2) near2 overclock$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:29
L82	0	(stabiliz$5 or steady$4) same ((after or following or subsequent$2) near6 overclock$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:30

L83	11	overclock$3 near6 (prevent$3 or prohibit$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:31
L84	15	(transition$3 or chang$3 or switch$3 or enter$3) near6 overclock$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:32
L85	8	(system near6 (restart$3 or (re adj start$3) or reset$4 or (re adj set$4) or reboot$3 or (re adj boot$3))) same overclock$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:37
L86	2	(system near6 (restart$3 or (re adj start$3) or reset$4 or (re adj set$4) or reboot$3 or (re adj boot$3))) with overclock$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:36
L87	1	85 same (timer$1 or counter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:36
L88	11	(set$4 or adjust$5 or chang$3 or modif$8 or vary$6 or control$4 or manag$5 or updat$3) same (overclock$3 near3 (paramater$1 or setting$1 or value$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:43
L89	5	(set$4 or adjust$5 or chang$3 or modif$8 or vary$6 or control$4 or manag$5 or updat$3) with (overclock$3 near3 (paramater$1 or setting$1 or value$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:42
L90	14	((set$4 or adjust$5 or chang$3 or modif$8 or vary$6 or control$4 or manag$5 or updat$3) near6 (paramater$1 or setting$1 or value$1)) same overclock$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:08
L91	8	((set$4 or adjust$5 or chang$3 or modif$8 or vary$6 or control$4 or manag$5 or updat$3) near6 (paramater$1 or setting$1 or value$1)) with overclock$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 13:44
L92	21	overclock$3.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:00

EAST Search History

L93	0	overclock$3 near6 ((first or initial or second or subsequent$2 or follow$3 or primary or secondary or two or multiple or more or many or plurality) near2 (attempt$1 or tries or try$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:22
L94	0	overclock$3 same ((first or initial or second or subsequent$2 or follow$3 or primary or secondary or two or multiple or more or many or plurality) near2 (attempt$1 or tries or try$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:06
L95	18	overclock$3 same fail$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:07
L96	11	overclock$3 with fail$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:07
L97	0	95 same repeat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:08
L98	3	95 and repeat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:08
L99	0	(repeat$5 near6 ((set$4 or adjust$5 or chang$3 or modif$8 or vary$6 or control$4 or manag$5 or updat$3) near3 (paramater$1 or setting$1 or value$1))) same overclock$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:10
L100	78997	((set$4 or adjust$5 or chang$3 or modif$8 or vary$6 or control$4 or manag$5 or updat$3) near6 (paramater$1 or setting$1 or value$1)) same repeat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:11
L101	0	100 same overclock$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:12

L102	2	100 and overclock$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:12
L103	1	overclock$3 near6 ((first or initial or second or subsequent$2 or follow$3 or primary or secondary or two or multiple or more or many or plurality or several) near3 (trial$1 or attempt$1 or tries or try$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:23
L104	1	overclock$3 same ((first or initial or second or subsequent$2 or follow$3 or primary or secondary or two or multiple or more or many or plurality or several) near3 (trial$1 or attempt$1 or tries or try$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:24
L105	5	overclock$3 and ((first or initial or second or subsequent$2 or follow$3 or primary or secondary or two or multiple or more or many or plurality or several) near3 (trial$1 or attempt$1 or tries or try$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:44
L106	2	overclock$3 same ((first or second or primary or secondary or two or multiple or more or many or plurality or several) near6 (timer$1 or counter$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:47
L107	16	overclock$3 and ((first or second or primary or secondary or two or multiple or more or many or plurality or several) near3 (timer$1 or counter$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 15:07
L108	13	overclock$3 and ((first or second or primary or secondary or two or multiple or (more adj2 (one or single)) or many or plurality or several) near3 (timer$1 or counter$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 14:49
L109	2	overclock$3 near6 recover$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 15:07
L110	2	overclock$3 same recover$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/02 15:07
L111	0	("6622254").URPN.	USPAT	OR	OFF	2006/08/02 15:14

L112	10	("5432468" | "5710910" | "5862368" | "5940607" | "6047373" | "6122744" | "6134638" | "6212482" | "6385735" | "6496911").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/02 15:14